

Knee Injury and Osteoarthritis Outcome Score (KOOS)

Source: Roos EM, Roos HP, Lohmander LS, Ekdahl C, Beynnon BD. Knee Injury and Osteoarthritis Outcome Score (KOOS)--development of a self-administered outcome measure. *J Orthop Sports Phys Ther*. 1998 Aug;28(2):88-96.

The Knee Injury and Osteoarthritis Outcome Score (KOOS) is a questionnaire designed to assess short and long-term patient-relevant outcomes following knee injury. The KOOS is self-administered and assesses five outcomes: pain, symptoms, activities of daily living, sport and recreation function, and knee-related quality of life. The KOOS meets basic criteria of outcome measures and can be used to evaluate the course of knee injury and treatment outcome. KOOS is patient-administered, the format is user-friendly and it takes about 10 minutes to fill out.

Scoring instructions

The KOOS's five patient-relevant dimensions are scored separately: Pain (nine items); Symptoms (seven items); ADL Function (17 items); Sport and Recreation Function (five items); Quality of Life (four items). A Likert scale is used and all items have five possible answer options scored from 0 (No problems) to 4 (Extreme problems) and each of the five scores is calculated as the sum of the items included.

Interpretation of scores

Scores are transformed to a 0–100 scale, with zero representing extreme knee problems and 100 representing no knee problems as common in orthopaedic scales and generic measures. Scores between 0 and 100 represent the percentage of total possible score achieved.

Knee Injury and Osteoarthritis Outcome Score (KOOS)

Pain

P1 How often is your knee painful?	☐ Never	☐ Monthly	☐ Weekly	☐ Daily	☐ Always
------------------------------------	--------------------------------	----------------------------------	---------------------------------	--------------------------------	---------------------------------

What degree of pain have you experienced the last week when...?

P2 Twisting/pivoting on your knee	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
P3 Straightening knee fully	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
P4 Bending knee fully	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
P5 Walking on flat surface	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
P6 Going up or down stairs	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
P7 At night while in bed	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
P8 Sitting or lying	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
P9 Standing upright	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme

Symptoms

Sy1 How severe is your knee stiffness after first wakening in the morning?	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
Sy2 How severe is your knee stiffness after sitting, lying, or resting later in the day?	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
Sy3 Do you have swelling in your knee?	☐ Never	☐ Rarely	☐ Sometimes	☐ Often	☐ Always
Sy4 Do you feel grinding, hear clicking or any other type of noise when your knee moves?	☐ Never	☐ Rarely	☐ Sometimes	☐ Often	☐ Always
Sy5 Does your knee catch or hang up when moving?	☐ Never	☐ Rarely	☐ Sometimes	☐ Often	☐ Always
Sy6 Can you straighten your knee fully?	☐ Always	☐ Often	☐ Sometimes	☐ Rarely	☐ Never
Sy7 Can you bend your knee fully?	☐ Always	☐ Often	☐ Sometimes	☐ Rarely	☐ Never

Activities of daily living

What difficulty have you experienced the last week...?

A1 Descending	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A2 Ascending stairs	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A3 Rising from sitting	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A4 Standing	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A5 Bending to floor/picking up an object	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A6 Walking on flat surface	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A7 Getting in/out of car	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A8 Going shopping	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A9 Putting on socks/stockings	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A10 Rising from bed	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A11 Taking off socks/stockings	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A12 Lying in bed (turning over, maintaining knee position)	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A13 Getting in/out of bath	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A14 Sitting	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A15 Getting on/off toilet	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A16 Heavy domestic duties (shovelling, scrubbing floors, etc)	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
A17 Light domestic duties (cooking, dusting, etc)	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme

Sport and recreation function

What difficulty have you experienced the last week...?

Sp1 Squatting	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
Sp2 Running	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
Sp3 Jumping	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
Sp4 Turning/twisting on your injured knee	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme
Sp5 Kneeling	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme

Knee-related quality of life

Q1	How often are you aware of your knee problems?	☐ Never	☐ Monthly	☐ Weekly	☐ Daily	☐ Always
Q2	Have you modified your lifestyle to avoid potentially damaging activities to your knee?	☐ Not at all	☐ Mildly	☐ Moderately	☐ Severely	☐ Totally
Q3	How troubled are you with lack of confidence in your knee?	☐ Not at all	☐ Mildly	☐ Moderately	☐ Severely	☐ Totally
Q4	In general, how much difficulty do you have with your knee?	☐ None	☐ Mild	☐ Moderate	☐ Severe	☐ Extreme